

Application: gvSIG desktop - gvSIG bugs #1284

In addons manager, the unstable plugins should show the State (if it is alpha4 or beta1 or...) in the description

10/17/2012 01:06 PM - Vicent Domenech

Status:	Closed	% Done:	0%
Priority:	Low	Spent time:	0.00 hour
Assignee:			
Category:	Installer		
Target version:			
Severity:		Add-on version:	
gvSIG version:	2.0.0	Add-on build:	
gvSIG build:	2056	Add-on resolve version:	
Operative System:	Linux	Add-on resolve build:	
Keywords:		Proyecto:	
Has patch:	No	Hito:	
Add-on name:	Unknown		
Description			

Associated revisions

Revision 28853 - 05/18/2009 11:39 AM - Vicente Caballero

Use modified geotools epsg-hsql JAR which uses a different tmp dir for each geotools instance. Use a read-only user DB in JCRS when the default user DB is locked by another gvSIG instance. Show a sensible error message when the read-only DB is being used and the user tries to save a new CRS. Fixes: #777, #1284

Revision 28854 - 05/18/2009 11:41 AM - Cesar Martinez Izquierdo

Use modified geotools epsg-hsql JAR which uses a different tmp dir for each geotools instance. Fixes: #777, #1284

Revision 28855 - 05/18/2009 12:00 PM - Vicente Caballero

Use modified geotools epsg-hsql JAR which uses a different tmp dir for each geotools instance. Use a read-only user DB in JCRS when the default user DB is locked by another gvSIG instance. Show a sensible error message when the read-only DB is being used and the user tries to save a new CRS. Fixes: #777, #1284

History

#1 - 10/19/2012 02:19 PM - Manuel Madrid

- Priority changed from Normal to Low

#2 - 01/13/2014 02:39 PM - Álvaro Anguix

- Status changed from New to Closed

En versiones actuales los plugins que no se pueden instalar no aparecen. Cierro el ticket.