Application: gvSIG desktop - gvSIG bugs #3006 Gerroreferencing tool RMS seems not working properly

11/17/2014 09:07 AM - Manuel Madrid

Status:	Invalid	% Done:	0%	
Priority:	Normal	Spent time:	0.00 hour	
Assignee:				
Category:	Raster			
Target version:				
Severity:	Minor	Add-on version:		
gvSIG version:	2.1.0	Add-on build:	Add-on build:	
gvSIG build:	2254	Add-on resolve version:		
Operative System:	Linux	Add-on resolve build:		
Keywords:		Proyecto:		
Has patch:		Hito:		
Add-on name:	Unknown			
Description				
1. Start georeferencin	g and image with reference c	artography and afin transformation c	ptions.	
2. Place three control	points.			
3. Check the RMS val	ue.			

4. Now move one of the control points hundred of meters away from the original place.

5. Check that the RMS value keeps very low, which is not correct.

History

#1 - 11/17/2014 11:11 AM - Antonio Falciano

Hi Manuel,

an affine transformation in 2D is a roto-translation with scale variation or, alternatively, a polynomial transformation of the 1st order (n=1). So the minimum number of GCPs necessary to perform such transformation is: (n+1)(n+2)/2 = 3. When the GCPs are three, the RMSE should be always zero, because there aren't enough degrees of freedom in order to apply the least-squares method. Instead, if there are at least four GCPs, then the RMSE becomes significant and can be used in order to understand how well the transformation is performed.

#2 - 11/17/2014 04:26 PM - Manuel Madrid

- Status changed from New to Invalid

Hi Antonio,

You are totally right. Thank you so much for that wonderful explanation. I just closed the issue.

Best,

Manuel.