

## Application: gvSIG desktop - gvSIG bugs #3069

### Corregir el gvSIG.sh para que ejecute correctamente en Windows con Busybox

12/16/2014 01:53 PM - Joaquín del Cerro Murciano

<b>Status:</b> Closed	<b>% Done:</b> 0%
<b>Priority:</b> Normal	<b>Spent time:</b> 0.00 hour
<b>Assignee:</b> Joaquín del Cerro Murciano	
<b>Category:</b>	
<b>Target version:</b> 2.1.0-2260	
<b>Severity:</b> Minor	<b>Add-on version:</b>
<b>gvSIG version:</b> 2.1.0	<b>Add-on build:</b>
<b>gvSIG build:</b>	<b>Add-on resolve version:</b>
<b>Operative System:</b>	<b>Add-on resolve build:</b>
<b>Keywords:</b>	<b>Proyecto:</b>
<b>Has patch:</b>	<b>Hito:</b>
<b>Add-on name:</b> Unknown	
<b>Description</b>	

#### Associated revisions

##### Revision 41888 - 12/16/2014 01:54 PM - Joaquín del Cerro Murciano

refs #3069, correcciones en el gvSIG.sh para que ejecute correctamente en windows con busybox.

##### Revision 41906 - 12/29/2014 12:37 AM - Joaquín del Cerro Murciano

refs #3069, actualizado el gvSIG.sh para que referencia al jre 7 en lugar de al 6.

#### History

##### #1 - 12/16/2014 01:55 PM - Joaquín del Cerro Murciano

- Status changed from New to Fixed

##### #2 - 12/18/2014 09:55 AM - Antonio Falciano

Hi Joaquín,

I've noticed the following line in the fix of this ticket:

```
PJH5="$GVSIG_INSTALL_FOLDER/gvSIG/extensiones/jre_6_windows_i586/jre"
```

...while we are using jre\_7\_windows\_i586 now.

##### #3 - 12/27/2014 06:27 PM - Antonio Falciano

In order to launch gvSIG in Windows, we should have:

```
-Djava.library.path="%{GVSIG_NATIVE_LIBS}" \
```

instead of

```
-Djava.library.path="\${GVSIG_NATIVE_LIBS}"/usr/lib \
```

Furthermore, we should have all the needed DLLs in the *GVSIG\_INSTALL\_FOLDER/native* folder, because:

```
export GVSIG_NATIVE_LIBS="\${GVSIG_INSTALL_FOLDER}/native"
```

**#4 - 01/26/2015 09:42 AM - Álvaro Anguix**

- *Status changed from Fixed to Closed*