

Application: gvSIG desktop - gvSIG bugs #3473

Cambio de implementación del Map cuando se cargan las propiedades de la persistencia

05/12/2015 10:19 AM - Lluís Marqués

| | |
|---------------------------------------|--------------------------------|
| Status: Closed | % Done: 100% |
| Priority: Immediate | Spent time: 0.00 hour |
| Assignee: Francisco Díaz Carsí | |
| Category: | |
| Target version: 2.2.0-2310 | |
| Severity: Minor | Add-on version: |
| gvSIG version: 2.2.0 | Add-on build: |
| gvSIG build: 2309 | Add-on resolve version: |
| Operative System: | Add-on resolve build: |
| Keywords: | Proyecto: |
| Has patch: | Hito: |
| Add-on name: Unknown | |

Description

Al ejecutar el método loadFromState(PersistentState state) de la clase ExtendedPropertiesHelper cambia el tipo de implementación del Map del atributo *properties*. Pasa de ser un HashMap a un HashTable. Habría que mantener la implementación inicial del atributo *properties*.

Associated revisions

Revision 42185 - 05/13/2015 10:43 AM - Francisco Díaz Carsí

fixes #3473 Arreglado el tipo de properties en el loadFromState

History

#1 - 05/12/2015 01:04 PM - Joaquín del Cerro Murciano

- Target version changed from 2.3.0-2400 (rev. org.gvsig.desktop-2.0.102) to 2.2.0-2310

#2 - 05/13/2015 10:44 AM - Francisco Díaz Carsí

- % Done changed from 0 to 100

- Status changed from New to Fixed

Applied in changeset svn-gvsig-desktop|r42185.

#3 - 05/20/2015 09:29 AM - Álvaro Anguix

- Status changed from Fixed to Closed