

## Application: gvSIG desktop - gvSIG bugs #4542

### WMS GetMap request produces images without projection file

07/17/2017 12:50 PM - Antonio Falciano

<b>Status:</b> New	<b>% Done:</b> 0%
<b>Priority:</b> Normal	<b>Spent time:</b> 0.00 hour
<b>Assignee:</b>	
<b>Category:</b> WMS	
<b>Target version:</b>	
<b>Severity:</b> Major	<b>Add-on version:</b>
<b>gvSIG version:</b> 2.4.0	<b>Add-on build:</b>
<b>gvSIG build:</b> 2827	<b>Add-on resolve version:</b>
<b>Operative System:</b>	<b>Add-on resolve build:</b>
<b>Keywords:</b>	<b>Proyecto:</b>
<b>Has patch:</b>	<b>Hito:</b>
<b>Add-on name:</b> Unknown	

**Description**

The WMS GetMap request produces images without projection file. So if I try to add a WMS layer choosing a CRS different from the view one, the resulting image (e.g. .jpg + .wld) is not reprojected on the fly, because the prj file is missing in the *tmp-gvsig\downloader* folder.

#### History

##### #1 - 07/17/2017 01:21 PM - Antonio Falciano

The projection WKT is usually stored in a .rmf (not a .prj) file by gvSIG, but the rmf file seems to be generated only at the first GetMap request and it's associated to a blank image.

##### #2 - 07/20/2017 10:56 AM - Álvaro Anguix

- Target version changed from 2.4.0-2850-final (rev. org.gvsig.desktop-2.0.220) to 2.5.1-3044

##### #3 - 03/04/2020 05:21 PM - Álvaro Anguix

- Target version deleted (2.5.1-3044)