

Application: gvSIG desktop - gvSIG feature requests #552

Añadir a Geometry el metodo getInteriorPoint

04/19/2012 04:23 PM - Joaquín del Cerro Murciano

Status:	Closed	% Done:	0%
Priority:	Normal	Spent time:	0.00 hour
Assignee:	Juan Lucas Domínguez		
Category:	Application		
Target version:	2.0.0-devel-2052		
gvSIG version:	2.0.0	Add-on resolve version:	
Keywords:		Add-on resolve build:	
Has patch:	No	Proyecto:	
Add-on name:	Application gvSIG (org.gvsig.app)	Hito:	
Add-on version:			

Description

En algunos sitios de la aplicacion fuera de la libreria de geometrias se pasa de una geometria nuestra a jts para llamar al metodo getInteriorPoint y luego el resultado volverlo a convertir a jts. Habria que añadir a nuestro Geometry el metodo getInteriorPoint, y que tire del de jts en la implementacion de AbstractPrimitive.

History

#1 - 04/25/2012 11:25 AM - Joaquín del Cerro Murciano

- Assignee set to Víctor Acevedo

#2 - 05/10/2012 02:47 PM - Manuel Madrid

- Target version set to 2.0.0-rc1

#3 - 08/13/2012 10:50 AM - Joaquín del Cerro Murciano

- Assignee changed from Víctor Acevedo to Juan Lucas Domínguez

#4 - 08/21/2012 12:22 PM - Juan Lucas Domínguez

- Status changed from New to Fixed

gvsig-desktop:r38770

Added getInteriorPoint to Geometry API and JTS-based implementation.

#5 - 08/30/2012 02:15 PM - Joaquín del Cerro Murciano

- Target version changed from 2.0.0-rc1 to 2.0.0-devel-2052

#6 - 02/26/2014 12:43 PM - Álvaro Anguix

- Status changed from Fixed to Closed