

Application: gvSIG desktop - gvSIG feature requests #747
Show the CRS of each layer to be loaded in the add layer window

06/05/2012 04:06 PM - Manuel Madrid

Status:	Closed	% Done:	0%
Priority:	Normal	Spent time:	0.00 hour
Assignee:	Juan Lucas Domínguez		
Category:	Document view		
Target version:	2.0.0-devel-2052		
gvSIG version:	2.0.0	Add-on resolve version:	
Keywords:		Add-on resolve build:	
Has patch:	No	Proyecto:	
Add-on name:	Unknown	Hito:	
Add-on version:			

Description

It would be useful to show the CRS of each layer that is going to be loaded. This way the user can realize that she/he should change it from the "properties" button.

History

#1 - 06/15/2012 04:26 PM - Manuel Madrid

One more thing to add:

In case of vector layers, if the layer CRS is different than the view CRS, this text should be added after the CRS code: in English -> "(layer will be reprojected)"; in Spanish: "(la capa se reproyectará)".

#2 - 08/29/2012 01:42 PM - Juan Lucas Domínguez

- Assignee set to Juan Lucas Domínguez

#3 - 08/30/2012 11:25 AM - Juan Lucas Domínguez

Usar JList con 2 columnas (o JTable) y poner "será reproyectada" al lado de CRS (segunda columna)

#4 - 09/03/2012 05:52 PM - Juan Lucas Domínguez

- Status changed from New to Fixed

gvSIG-desktop:r38805

Implemented new Cell renderer for JList: File name + CRS (explanation if needed)

#5 - 09/06/2012 12:31 PM - Joaquín del Cerro Murciano

- Target version changed from 2.0.0-rc1 to 2.0.0-devel-2053

#6 - 09/06/2012 12:36 PM - Joaquín del Cerro Murciano

- Target version changed from 2.0.0-devel-2053 to 2.0.0-devel-2052

#7 - 11/08/2012 12:35 PM - Abenchara Socorro

- Status changed from Fixed to Closed